

309 JDJ

| | | | |
|--------------------|---------------------|-----------------------------|--------|
| Handgun: | T/C Contender | Bullet Diameter: | 0.308" |
| Barrel: | 14", 1 in 10" Twist | Maximum COL: | N/A" |
| Case: | Remington | Max. Case Length: | 2.225" |
| Primer: | Federal 210 | Case Trim Length: | .2215" |

JDJ are the initials of J. D. Jones, firearms developer, wildcatter, and shooting enthusiast deluxe. The 309 JDJ is another in his SSK Industries series of proprietary cartridges. "Proprietary" here means that Jones has maintained control over reamers developed to chamber these cartridges and neither sells, permits, nor licenses others to do so on their own behalf.

While J. D. Jones appears partial to 30 caliber (for example, the 7.62 Micro-Whisper, the 7.63 Mini-Whisper, and the 300 Whisper are other 30 caliber creations of SSK), the 309 JDJ was developed from a quite different cartridge than others in the series. Rather than start from the 30 Luger, the 30 Mauser, or the 221 Remington Fireball, the 309 JDJ is based on the 444 Marlin case necked down to 30 caliber.


Given the greater powder capacity of the 309 JDJ relative to its 30 caliber brothers, it is far more suitable for medium size game out to moderate ranges.

One of the original development purposes of the 309 JDJ was to extend the capabilities of T/C Contender pistols for successfully hunting medium size game. Reportedly it has achieved this goal quite well.


110 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.166
0.308"



110 gr. SP
Item No. 3010
C.O.L.: 2.900"
G1 B.C.: 0.256



110 gr. V-MAX®
Item No. 23010
C.O.L.: 2.900"
G1 B.C.: 0.290

VELOCITY (FPS – feet per second)


| POWDER | 2650 | 2700 | 2750 | 2800 | 2850 | 2900 |
|---------------|----------|----------|----------|----------|----------|----------|
| H4895 | 43.9 gr. | 45.7 gr. | 47.4 gr. | 49.2 gr. | 50.9 gr. | 52.7 gr. |
| VARGET | 45.6 gr. | 47.7 gr. | 49.8 gr. | 52.0 gr. | | |
| IMR 4064 | 48.3 gr. | 49.3 gr. | 50.4 gr. | 51.5 gr. | 52.5 gr. | |
| Accurate 2460 | 49.8 gr. | 50.5 gr. | 51.2 gr. | 51.8 gr. | 52.5 gr. | 53.2 gr. |
| IMR 4895 | 48.8 gr. | 50.1 gr. | 51.3 gr. | | | |

Create custom ballistic tables using our online calculators at hornady.com/ballistics

130 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.196
0.308"



130 gr. SP
Item No. 3020
C.O.L.: 3.000"
G1 B.C.: 0.295


VELOCITY (FPS – feet per second)

| POWDER | 2350 | 2400 | 2450 | 2500 | 2550 | 2600 |
|---------------|----------|----------|----------|----------|----------|----------|
| VARGET | 41.2 gr. | 42.4 gr. | 43.5 gr. | 44.6 gr. | 45.8 gr. | 46.9 gr. |
| H335 | 36.9 gr. | 39.7 gr. | 42.5 gr. | 45.3 gr. | 48.1 gr. | |
| IMR 4064 | 42.5 gr. | 43.5 gr. | 44.5 gr. | 45.6 gr. | 46.6 gr. | 47.6 gr. |
| VIHT N-140 | 44.4 gr. | 45.4 gr. | 46.4 gr. | 47.4 gr. | 48.4 gr. | |
| WIN 748 | 46.8 gr. | 47.8 gr. | 48.7 gr. | 49.7 gr. | 50.6 gr. | 51.6 gr. |
| Accurate 2700 | 47.6 gr. | 48.8 gr. | 50.0 gr. | 51.3 gr. | | |
| Accurate 4350 | 51.4 gr. | 52.4 gr. | 53.4 gr. | 54.3 gr. | 55.3 gr. | |
| IMR 4350 | 52.1 gr. | 53.2 gr. | 54.3 gr. | 55.4 gr. | | |


Create custom ballistic tables using our online calculators at hornady.com/ballistics

150-155 GRAIN BULLETS


SECTIONAL DENSITY: 0.226-0.233
DIAMETER: 0.308"




150 gr. GMX®
Item No. 30370
C.O.L.: 3.115"
G1 B.C.: 0.415




150 gr. FMJ-BT
Item No. 3037
C.O.L.: 3.115"
G1 B.C.: 0.398




150 gr. InterLock® RN
Item No. 3035
C.O.L.: 3.115"
G1 B.C.: 0.186




150 gr. InterLock® BTSP
Item No. 3033
C.O.L.: 3.115"
G1 B.C.: 0.349




150 gr. InterLock® SP
Item No. 3031
C.O.L.: 3.115"
G1 B.C.: 0.338



150 gr. InterBond®
Item No. 30309
C.O.L.: 3.115"
G1 B.C.: 0.415



150 gr. SST®
Item No. 30302
C.O.L.: 3.115"
G1 B.C.: 0.415



155 gr. A-MAX®
Item No. 30312
C.O.L.: 3.115"
G1 B.C.: 0.435


| POWDER | VELOCITY (FPS – feet per second) | | | | | |
|---------------|----------------------------------|----------|----------|----------|----------|----------|
| | 2250 | 2300 | 2350 | 2400 | 2450 | 2500 |
| VARGET | 41.1 gr. | 42.1 gr. | 43.1 gr. | 44.1 gr. | 45.1 gr. | |
| IMR 4064 | 41.6 gr. | 42.6 gr. | 43.6 gr. | 44.5 gr. | 45.5 gr. | |
| Alliant RL-15 | 41.6 gr. | 42.8 gr. | 43.9 gr. | 45.0 gr. | 46.1 gr. | |
| VIHT N-150 | 43.2 gr. | 44.2 gr. | 45.2 gr. | 46.1 gr. | 47.1 gr. | |
| BL-C(2) | 46.2 gr. | 47.1 gr. | 48.0 gr. | 48.8 gr. | 49.7 gr. | 50.6 gr. |
| Accurate 2700 | 46.5 gr. | 47.6 gr. | 48.7 gr. | 49.8 gr. | 50.9 gr. | |
| Accurate 4350 | 49.0 gr. | 49.9 gr. | 50.8 gr. | 51.7 gr. | 52.6 gr. | |
| WIN 760 | 49.3 gr. | 50.2 gr. | 51.1 gr. | 52.0 gr. | 52.9 gr. | 54.8 gr. |

Create custom ballistic tables using our online calculators at hornady.com/ballistics


165-168 GRAIN BULLETS

SECTIONAL DENSITY: 0.248-0.253
DIAMETER: 0.308"


309 JDJ




165 gr. GMX®
Item No. 30470
C.O.L.: 3.115"
G1 B.C.: 0.447




165 gr. InterBond®
Item No. 30459
C.O.L.: 3.115"
G1 B.C.: 0.447




165 gr. SST®
Item No. 30452
C.O.L.: 3.115"
G1 B.C.: 0.447




165 gr. InterLock® BTSP
Item No. 3045
C.O.L.: 3.115"
G1 B.C.: 0.435



165 gr. InterLock® SP
Item No. 3040
C.O.L.: 3.115"
G1 B.C.: 0.387



168 gr. A-MAX®
Item No. 30502
C.O.L.: 3.115"
G1 B.C.: 0.475




168 gr. BTHP Match™
Item No. 30501
C.O.L.: 3.115"
G1 B.C.: 0.450

| POWDER | VELOCITY (FPS – feet per second) | | | | | |
|---------------|----------------------------------|----------|----------|----------|----------|----------|
| | 2150 | 2200 | 2250 | 2300 | 2350 | 2400 |
| IMR 4064 | 39.9 gr. | 40.8 gr. | 41.7 gr. | 42.6 gr. | | |
| Alliant RL-15 | 40.6 gr. | 41.7 gr. | 42.7 gr. | 43.8 gr. | | |
| BL-C(2) | 44.2 gr. | 45.1 gr. | 46.0 gr. | 47.0 gr. | 47.9 gr. | 48.8 gr. |
| Accurate 2700 | 44.5 gr. | 45.4 gr. | 46.4 gr. | | | |
| WIN 760 | 46.9 gr. | 47.9 gr. | 48.8 gr. | 49.8 gr. | 50.7 gr. | |
| Accurate 4350 | 47.8 gr. | 48.8 gr. | 49.8 gr. | 50.9 gr. | 51.9 gr. | |
| VIHT N-160 | 48.7 gr. | 49.6 gr. | 50.5 gr. | 51.4 gr. | 52.4 gr. | 53.3 gr. |
| IMR 4350 | 48.8 gr. | 49.9 gr. | 51.0 gr. | 52.1 gr. | 53.2 gr. | |


Create custom ballistic tables using our online calculators at hornady.com/ballistics

178-180 GRAIN BULLETS


SECTIONAL DENSITY: 0.268-0.271
DIAMETER: 0.308"




178 gr. BTHP Match™
Item No. 30715
C.O.L.: 3.115"
G1 B.C.: 0.530




178 gr. A-MAX®
(Discontinued)
Item No. 30712
C.O.L.: 3.115"
G1 B.C.: 0.495




180 gr. InterLock® RN
Item No. 3075
C.O.L.: 3.085"
G1 B.C.: 0.241




180 gr. InterLock® BTSP
Item No. 3072
C.O.L.: 3.115"
G1 B.C.: 0.452



180 gr. SST®
Item No. 30702
C.O.L.: 3.115"
G1 B.C.: 0.480



180 gr. InterBond®
Item No. 30709
C.O.L.: 3.115"
G1 B.C.: 0.480



180 gr. InterLock® SP
Item No. 3070
C.O.L.: 3.115"
G1 B.C.: 0.425


| POWDER | VELOCITY (FPS – feet per second) | | | | | |
|---------------|----------------------------------|----------|----------|----------|----------|----------|
| | 2050 | 2100 | 2150 | 2200 | 2250 | 2300 |
| Alliant RL-15 | 38.9 gr. | 40.0 gr. | 41.1 gr. | 42.3 gr. | 43.4 gr. | |
| BL-C(2) | 42.2 gr. | 43.1 gr. | 44.0 gr. | 44.9 gr. | 45.8 gr. | |
| Accurate 2700 | 43.4 gr. | 44.7 gr. | 45.9 gr. | | | |
| H380 | 44.6 gr. | 45.8 gr. | 47.0 gr. | 48.2 gr. | 49.4 gr. | |
| WIN 760 | 45.9 gr. | 46.8 gr. | 47.8 gr. | 48.7 gr. | 49.7 gr. | 50.6 gr. |
| VIHT N-160 | 46.9 gr. | 48.0 gr. | 49.0 gr. | 50.0 gr. | 51.1 gr. | |
| IMR 4350 | 46.9 gr. | 48.1 gr. | 49.3 gr. | 50.4 gr. | 51.6 gr. | |

Create custom ballistic tables using our online calculators at hornady.com/ballistics

190 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.286
0.308"



190 gr. InterLock® BTSP (Discontinued)

Item No. 3085
C.O.L.: 3.115"
G1 B.C.: 0.491

VELOCITY (FPS – feet per second)


| POWDER | 1950 | 2000 | 2050 | 2100 | 2150 | 2200 |
|---------------|----------|----------|----------|----------|----------|----------|
| Alliant RL-15 | 36.7 gr. | 37.9 gr. | 39.2 gr. | 40.5 gr. | 41.8 gr. | 43.1 gr. |
| Accurate 2700 | 41.4 gr. | 42.5 gr. | 43.6 gr. | 44.7 gr. | 45.8 gr. | |
| H380 | 42.3 gr. | 43.4 gr. | 44.5 gr. | 45.7 gr. | 46.8 gr. | 47.9 gr. |
| WIN 760 | 43.2 gr. | 44.2 gr. | 45.2 gr. | 46.2 gr. | 47.2 gr. | 48.2 gr. |
| Accurate 4350 | 43.7 gr. | 44.8 gr. | 45.8 gr. | 46.8 gr. | 47.9 gr. | |
| VIHT N-160 | 44.5 gr. | 45.5 gr. | 46.5 gr. | 47.5 gr. | 48.4 gr. | 49.4 gr. |
| IMR 4350 | 44.4 gr. | 45.6 gr. | 46.8 gr. | 48.0 gr. | 49.2 gr. | |

Create custom ballistic tables using our online calculators at hornady.com/ballistics

220 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.331
0.308"



220 gr. InterLock® RN

Item No. 3090
C.O.L.: 2.935"
G1 B.C.: 0.300

VELOCITY (FPS – feet per second)

| POWDER | 1800 | 1850 | 1900 | 1950 | 2000 | 2050 |
|---------------|----------|----------|----------|----------|----------|----------|
| H380 | 40.0 gr. | 41.5 gr. | 43.0 gr. | 44.5 gr. | 46.0 gr. | 47.4 gr. |
| H4350 | 40.1 gr. | 41.7 gr. | 43.2 gr. | 44.7 gr. | 46.2 gr. | 47.7 gr. |
| IMR 4831 | 41.6 gr. | 42.8 gr. | 44.1 gr. | 45.4 gr. | 46.7 gr. | 48.0 gr. |
| Accurate 4350 | 42.8 gr. | 43.8 gr. | 44.9 gr. | 45.9 gr. | 47.0 gr. | |
| VIHT N-160 | 42.5 gr. | 43.7 gr. | 45.0 gr. | 46.2 gr. | 47.4 gr. | 48.7 gr. |
| Alliant RL-19 | 44.3 gr. | 45.7 gr. | 47.2 gr. | 48.6 gr. | 50.1 gr. | |

Create custom ballistic tables using our online calculators at hornady.com/ballistics