



Ballistics

Rifle Ammunition Product Lines:

AG American Gunner™	CI Custom International™	HI Hornady International™	PH Precision Hunter®	SV Superformance® Varmint
AW American Whitetail®	CL Custom Lite®	LEV LEVERevolution®	SUB Subsonic	V Varmint Express®
CD Critical Defense®	DG Dangerous Game™ Series	M Match™	SF Superformance®	VM Vintage Match™
C Custom™	B Hornady BLACK®	O Outfitter™	SM Superformance® Match	

Hornady® Bullet Types:

A-MAX®	DGX® .. Dangerous Game™ eXpanding	FPB® ... Flex Tip® Projectile Blackpowder	InterBond®	OTM... Open-Tip Match	SST® ... Super Shock Tip
BT Boattail		FTX® ... Flex Tip® eXpanding	L Swaged Lead Bullet	RN..... Round Nose	Sub-X® . Subsonic eXpanding
BTHP .. Boattail Hollow Point	ELD-X® . Extremely Low Drag - eXpanding	HD SBR Heavy Duty Short-Barreled Rifle	LRN... Lead Round Nose	SJ Short Jacket	V Vented
CX™ ... Copper alloy eXpanding	ELD® Match	HP Hollow Point	ML Muzzleloading	SP Spire Point	V-MAX®
DGS® .. Dangerous Game Solid	FMJ ... Full Metal Jacket		MonoFlex®	SPF Superformance®	W/C ... With Cannelure
	FP Flat Point		NTX® .. Non-Traditional eXpanding	SP-RP .. Spire Point Recoil Proof	XTP® ... eXtreme Terminal Performance™

Rifle Ballistics

Ammo Description		Velocity (m/sec)								Energy (joules)						Trajectory Tables (cm)						GEE	GEE Trajectory													
CARTRIDGE	BULLET	ITEM #	B.C.	0m	50m	100m	150m	200m	250m	300m	0m	50m	100m	150m	200m	250m	300m	0m	50m	100m	150m	200m	250m	300m		0m	50m	100m	150m	200m	250m	300m				
V	17 Mach 2	15.5 gr. NTX®	(1,0g)	83176	.115	625	517	420	333	256	—	—	196	134	89	56	33	—	—	-5.0	2.2	0	-16.3	-55.0	—	—	121	-5.0	4.2	4.0	-10.3	-47.0	—	—		
V	17 Mach 2	17 gr. V-MAX®	(1,1g)	83177	.125	640	539	447	364	289	—	—	226	160	110	73	46	—	—	-5.0	1.8	0	-14.2	-47.0	—	—	124	-5.0	3.8	4.0	-8.2	-39.0	—	—		
V	17 HMR	15.5 gr. NTX®	(1,0g)	83171	.115	770	649	538	438	348	268	199	297	211	145	96	61	36	20	-5.0	0.5	0	-9.0	-31.0	-73.3	-149.3	136	-5.0	2.5	4.0	-3.0	-23.0	-63.3	-137.3		
V	17 HMR	17 gr. V-MAX®	(1,1g)	83170	.125	777	665	561	466	380	303	235	333	244	174	120	80	51	30	-5.0	0.3	0	-8.2	-27.7	-64.2	-127.2	139	-5.0	2.3	4.0	-2.2	-19.7	-54.2	-115.2		
V	17 HMR	20 gr. XTP®	(1,3g)	83172	.125	724	616	517	426	344	271	207	340	246	173	118	77	48	28	-5.0	0.8	0	-10.1	-33.7	-78.1	-155.4	133	-5.0	2.8	4.0	-4.1	-25.7	-68.1	-143.4		
V	17 WSM	20 gr. V-MAX®	(1,3g)	83180	.185	914	830	750	674	602	534	470	542	447	365	294	235	185	143	-5.0	-0.7	0	-3.7	-12.7	-28.6	-53.1	172	-5.0	1.3	4.0	2.3	-4.7	-18.6	-41.1		
SV	17 Hornet	20 gr. V-MAX®	(1,3g)	83005	.185	1113	1019	929	843	761	684	611	802	672	559	460	376	303	242	-5.0	-1.3	0	-1.5	-6.5	-15.8	-30.3	213	-5.0	0.7	4.0	4.5	1.5	-5.8	-18.3		
SV	204 Ruger	24 gr. NTX® (26" Bbl)	(1,6g)	83209	.170	1341	1228	1119	1016	918	824	736	1399	1172	974	803	655	528	421	-5.0	-1.7	0	-0.3	-2.9	-8.5	-17.7	263	-5.0	0.3	4.0	5.7	5.1	1.5	-5.7		
SV	204 Ruger	32 gr. V-MAX® (26" Bbl)	(2,1g)	83204	.210	1288	1198	1111	1027	947	870	796	1720	1487	1280	1094	930	785	657	-5.0	-1.6	0	-0.3	-3.0	-8.4	-17.1	264	-5.0	0.4	4.0	5.7	5.0	1.6	-5.1		
SV	204 Ruger	40 gr. V-MAX® (26" Bbl)	(2,6g)	83206	.275	1189	1123	1058	996	936	877	821	1832	1634	1452	1286	1135	997	873	-5.0	-1.5	0	-0.7	-3.8	-9.7	-18.9	252	-5.0	0.5	4.0	5.3	4.2	0.3	-6.9		
V	22 WMR	25 gr. NTX®	(1,6g)	83201	.085	671	522	391	280	187	—	—	364	220	124	63	28	—	—	-5.0	2.1	0	-18.6	-69.3	—	—	120	-5.0	4.1	4.0	-12.6	-61.3	—	—		
V	22 WMR	30 gr. V-MAX®	(1,9g)	83202	.095	671	536	417	313	224	—	—	437	280	169	95	49	—	—	-5.0	1.9	0	-16.3	-58.0	—	—	122	-5.0	3.9	4.0	-10.3	-50.0	—	—		
V	22 LR	40 gr. LRN	(2,6g)	83211	.120	326	295	273	—	—	—	—	138	113	96	—	—	—	—	-5.0	0.0	-23.4	—	—	—	—	—	—	—	—	—	—	—	—		
V	22 LR	40 gr. HP Copper Plated	(2,6g)	83212	.120	337	302	278	—	—	—	—	147	118	100	—	—	—	—	-5.0	0.0	-22.1	—	—	—	—	—	—	—	—	—	—	—	—		
V	22 Hornet	35 gr. V-MAX®	(2,3g)	8302	.109	936	793	663	544	437	341	258	993	714	498	335	216	132	75	-5.0	-0.5	0	-5.1	-18.6	-45.0	-92.2	156	-5.0	1.5	4.0	0.9	-10.6	-35.0	-80.2		
C	22 Hornet	45 gr. SP	(2,9g)	83028	.202	812	740	671	605	543	484	429	962	798	657	534	430	342	268	-5.0	-0.3	0	-5.2	-17.1	-37.4	-68.1	156	-5.0	1.7	4.0	0.8	-9.1	-27.4	-56.1		
C	218 Bee	45 gr. HP	(2,9g)	8307	.108	835	700	578	467	367	280	205	1017	716	487	318	197	114	61	-5.0	0.0	0	-7.5	-26.3	-63.4	-131.2	142	-5.0	2.0	4.0	-1.5	-18.3	-53.4	-119.2		
SV	222 Rem	35 gr. NTX®	(2,3g)	8309	.177	1146	1046	951	860	774	692	615	1490	1241	1026	839	680	544	429	-5.0	-1.4	0	-1.3	-6.0	-14.8	-28.7	219	-5.0	0.6	4.0	4.7	2.0	-4.8	-16.7		
SV	222 Rem	50 gr. V-MAX®	(3,2g)	8316	.242	1020	951	884	820	759	700	643	1684	1465	1267	1090	933	793	669	-5.0	-1.1	0	-2.0	-7.7	-17.6	-32.5	203	-5.0	0.9	4.0	4.0	0.3	-7.6	-20.5		
B	5.45 x 39mm	60 gr. V-MAX® (16" Bbl)	(3,9g)	81247	.285	856	803	752	702	654	608	563	1426	1255	1099	958	832	718	616	-5.0	-0.6	0	-3.7	-12.5	-26.9	-48.1	172	-5.0	1.4	4.0	2.3	-4.5	-16.9	-36.1		
SV	223 Rem	35 gr. NTX®	(2,3g)	83266	.177	1219	1116	1017	923	833	748	668	1686	1412	1173	966	788	635	506	-5.0	-1.5	0	-0.9	-4.6	-11.9	-23.6	236	-5.0	0.5	4.0	5.1	3.4	-1.9	-11.6		
HI	223 Rem	50 gr. ECX™	(3,2g)	832604	See hornady.com for latest information																															

All data from a 24" Bbl, unless otherwise noted.

Muzzleloader Projectile Ballistics

Muzzleloader Ammo Description			Velocity (m/sec)						Energy (joules)						Trajectory Tables (cm)					
DESCRIPTION	BULLET WT.	ITEM #	0m	50m	100m	150m	200m	250m	0m	50m	100m	150m	200m	250m	0m	50m	100m	150m	200m	250m
45 Cal. SST®-ML™ Low Drag Sabot	200 gr. (13,0 g)	67132	709	657	608	561	516	475	3255	2797	2393	2038	1728	1461	-5.0	2.9	4.9	0	-13.1	-35.6
50 Cal. SST®-ML™ Lock-N-Load® Speed Sabot®	250 gr. (16,2 g)	67270	686	622	562	507	456	410	3810	3136	2562	2080	1682	1363	-5.0	3.8	5.9	0	-16.2	-44.7
50 Cal. SST®-ML™ Low Drag Sabot	250 gr. (16,2 g)	67273	686	622	562	507	456	410	3810	3136	2562	2080	1682	1363	-5.0	3.8	5.9	0	-16.2	-44.7
50 Cal. MonoFlex® Lock-N-Load® Speed Sabot®	250 gr. (16,2 g)	67269	686	622	562	507	456	410	3810	3136	2562	2080	1682	1363	-5.0	3.8	5.9	0	-16.2	-44.7
50 Cal. MonoFlex® High Speed Low Drag Sabot	250 gr. (16,2 g)	67274	686	622	562	507	456	410	3810	3136	2562	2080	1682	1363	-5.0	3.8	5.9	0	-16.2	-44.7
50 Cal. Bore Driver™ FTX®	290 gr. (18,8 g)	67713	585	497	422	362	321	295	3216	2325	1672	1231	970	816	-5.0	8.6	11.7	0	-31.9	-88.4
50 Cal. SST®-ML™ Lock-N-Load® Speed Sabot®	300 gr. (19,4 g)	67271	649	597	548	502	459	420	4097	3467	2920	2449	2049	1716	-5.0	4.2	6.4	0	-16.7	-45.3
50 Cal. SST®-ML™ Low Drag Sabot	300 gr. (19,4 g)	67263	649	597	548	502	459	420	4097	3467	2920	2449	2049	1716	-5.0	4.2	6.4	0	-16.7	-45.3

All data developed in a stock T/C Omega inline muzzleloader with 150 gr. charges except when noted. Zero your rifle 7,6 cm high at 91 m for 15 cm shooting window to 183 m with 3 pellets or 150 gr. charges.

Shotgun Slug Ballistics

Shotgun Slug Description			Velocity (m/sec)						Energy (joules)						Trajectory Tables (cm)					
AMMO DESCRIPTION	BULLET	ITEM #	0m	25m	50m	75m	100m	125m	0m	25m	50m	75m	100m	125m	0m	25m	50m	75m	100m	125m
12 GA SST® Shotgun Slug 2¾" (70 mm)	300 gr. (19,4 g) FTX®	8623	610		548		490		3612		2914		2338		-5.0		5.9		8.3	
12 GA Superformance® Shotgun Slug 2¾" (70 mm)	300 gr. (19,4 g) MonoFlex®	86236	594		525		462		3434		2680		2079		-5.0		6.9		9.5	
12 GA Custom Lite® Shotgun Slug 2¾" (70 mm)	300 gr. (19,4 g) FTX®	86230	480		429		386		2240		1792		1445		-5.0		11.6		14.4	
12 GA American Whitetail® Shotgun Slug 2¾" (70 mm)	325 gr. (21,1 g) InterLock®	86271	556		498		445		3256		2611		2090		-5.0		2.6		0.0	
12 GA American Whitetail® Rifled Slug 2¾" (70 mm)	1 oz. (28,3 g) Rifled Slug	86234	488	417	361	322	296	278	3376	2464	1845	1471	1244	1093	-5.0	0.7	2.9	0	-8.8	-24.9
12 GA American Gunner® Reduced Recoil Rifled Slug 2¾" (70 mm)	1 oz. (28,3 g) Rifled Slug	86231	396	346	312	289	271	257	2226	1693	1382	1185	1043	934	-5.0	2.3	4.4	0	-11.7	-32
20 GA SST® Shotgun Slug 2¾" (70 mm)	250 gr. (16,2 g) FTX®	86232	549		491		439		2438		1955		1564		-5.0		8.1		10.7	
20 GA Superformance® Shotgun Slug 2¾" (70 mm)	250 gr. (16,2 g) MonoFlex®	86237	549		491		439		2438		1955		1564		-5.0		8.1		10.7	
20 GA Custom Lite® Shotgun Slug 2¾" (70 mm)	250 gr. (16,2 g) FTX®	86233	488		438		395		1927		1557		1265		-5.0		10.9		13.7	

Shotgun Ballistics

AMMO DESCRIPTION	SHOT SIZE	SHELL LENGTH	ITEM #	Velocity (m/sec) muzzle
12 GA Varmint Express® 2¾" (70 mm)	#4 Buck	2¾" (70 mm)	86243	404
12 GA Critical Defense® 2¾" (70 mm)	00 Buck (8 Pellets)	2¾" (70 mm)	86240	488
12 GA American Gunner® 2¾" (70 mm)	00 Buck (8 Pellets)	2¾" (70 mm)	86274	411

AMMO DESCRIPTION	SHOT SIZE	SHELL LENGTH	ITEM #	Velocity (m/sec) muzzle
12 GA Hornady BLACK™ 2¾" (70 mm)	00 Buck (8 Pellets)	2¾" (70 mm)	86249	488
12 GA Heavy Magnum® Coyote 3" (76 mm)	BB	3" (76 mm)	86222	396
12 GA Heavy Magnum® Coyote 3" (76 mm)	00 Buck	3" (76 mm)	86224	396
410 Critical Defense® Triple Defense™	FTX® Slug & 2 round balls	2½" (65 mm)	86238	219

12 gauge shotgun ballistics are established with a 30" SAAMI standard test barrel. 20 gauge shotgun ballistics are established with a 26" SAAMI standard test barrel.

Hornady Manufacturing Company trademarks include:

366 AP™	Bore Driver™ FTX®	Dangerous Game™	Full Boar®	Hot Tub®	Lock-N-Load® Classic™	One Shot®	Sonic Cleaner™	Super Shock Tip™	Universal Bullet Feeder™
Accurate, Deadly, Dependable®	Cam Lock™	DGS®	GMX®	InterBond®	Lock-N-Load® Speed Sabot®	Outfitter®	Speed Kills®	Sure-Loc™	Varmint Express®
A-MAX®	Close Quarters™	DGX®	Great Plains®	InterLock®	Low Drag™	Positive Priming™ System	Speed Sabot®	SX®	Varmint™
American Gunner®	Cowboy™	ECX™	HAP®	Iron Press®	Mach 2®	Powder Through™ Expanders	SST®	TAP®	Versatite®
American Whitetail®	Critical Defense®	ELD® Match	Heat Shield®	Key Lock™ Safe	Match™	PPS™	SST® ML™	TAP® FPD™	V-MAX®
AMP®	Critical Duty®	ELD-X®	Heavy Magnum®	LEVERevolution®	Micro Just™	Precision Hunter®	Steel Match®	Team Hornady®	VX™
AP™	Custom Grade™	FlexLock®	Hornady Action Pistol™	Light Magnum®	ML™	PTX™	SUB-X®	TriPoint™	XTP®
A-Tip™	Custom™	Flex Tip®	Hornady BLACK®	LNL®	MonoFlex®	Rapid® Safe	Super Explosive™	Triple Defense®	XTP® Mag™
Auto Charge®	Custom™ International	FPB®	Hornady®	L-N-L®	New Dimension™	Rapid Rack®	Superformance®	Ultra-Low Drag™	Zip Spindle™
Barrier™	Custom Lite®	Frontier®	Hornady Security®	L-N-L® Speed Sabot®	NTX®	Reduced Recoil™	Superformance® International	Unique™	Zombie Max®
	CX™	FTX®		Lock-N-Load®					

Handgun Ammunition Product Lines:

AG American Gunner™

CD Critical Defense®

CDL Critical Defense® Lite

DUTY Critical Duty®

C Custom™

HH Handgun Hunter™

LEV LEVERevolution®

Handgun Ballistics

Ammo Description				Velocity (m/sec)			Energy (joules)			
CARTRIDGE	BULLET	ITEM #	BARREL LENGTH	0m	50m	100m	0m	50m	100m	
CD	22 WMR	45 gr. FTX® (2,9 g)	83200	1 7/8" V	305	280	261	136	115	99
CD	25 Auto	35 gr. FTX® (2,3 g)	90014	2"	274	243	218	85	67	54
C	25 Auto	35 gr. XTP® (2,3 g)	90012	2"	274	248	226	85	69	58
CD	32 Auto	60 gr. FTX® (3,9 g)	90063	4"	305	266	239	181	138	111
C	32 Auto	60 gr. XTP® (3,9 g)	90062	4"	305	276	254	180	148	125
CD	32 H&R	80gr. FTX® (5,2 g)	90060	4"	351	317	294	319	260	224
CD	327 Federal Mag	80 gr. FTX® (5,2 g)	90061		450	389	343	523	392	304
AG	380 Auto	90 gr. XTP® (5,8 g)	90104	4"	305	278	258	271	225	194
CD	380 Auto	90 gr. FTX® (5,8 g)	90080	4"	305	278	258	271	225	194
CDL	9mm Luger	100 gr. FTX® (6,5 g)	90240	4"	343	306	281	381	304	256
AG	9mm Luger	115 gr. XTP® (7,5 g)	90244	4"	352	316	292	462	373	317
CD	9mm Luger	115 gr. FTX® (7,5 g)	90250	4"	346	312	289	446	363	312
HH	9mm Luger +P	115 gr. MonoFlex® (7,5 g)	90281	4"	335	304	282	418	344	297
DUTY	9mm Luger +P	124 gr. FlexLock® (8,0 g)	90216	4"	358	327	304	515	429	373
AG	9mm Luger +P	124 gr. XTP® (8,0 g)	90224	4"	358	325	301	515	424	365
C	9mm Luger	124 gr. XTP® (8,0 g)	90242	4"	338	313	294	460	393	348
DUTY	9mm Luger	135 gr. FlexLock® (8,7 g)	90236	4"	308	293	280	415	374	343
DUTY	9mm Luger +P	135 gr. FlexLock® (8,7 g)	90226	4"	338	316	300	500	438	392
C	9mm Luger	147 gr. XTP® (9,5 g)	90282	4"	297	285	274	420	386	358
SUB	9mm Luger	147 gr. XTP® (9,5 g)	90287	4"	297	285	274	420	386	358
DUTY	357 Sig	135 gr. FlexLock® (8,7 g)	91296	4"	373	339	314	610	503	433
C	357 Sig	147 gr. XTP® (9,5 g)	9131	4"	373	345	323	664	567	498
CD	38 Special	110 gr. FTX® (7,1 g)	90310	4" V	308	286	269	338	292	258
CDL	38 Special	90 gr. FTX® (5,8 g)	90300	4"	366	316	286	390	292	239
CD	38 Special +P	110 gr. FTX® (7,1 g)	90311	4" V	332	304	283	393	328	285
AG	38 Special	125 gr. XTP® (8,1 g)	90324	4" V	274	261	249	305	275	251
C	38 Special	158 gr. XTP® (10,2 g)	90362	4" V	244	236	229	305	285	268
CD	357 Magnum	125 gr. FTX® (8,1 g)	90500	8" V	457	400	354	846	648	510
AG	357 Magnum	125 gr. XTP® (8,1 g)	90504	8" V	457	400	355	846	649	511
HH	357 Magnum	130 gr. MonoFlex® (8,4 g)	9052	8" V	381	335	305	611	472	391
DUTY	357 Magnum	135 gr. FlexLock® (8,7 g)	90511	8" V	389	351	322	660	537	456
LEV	357 Magnum	140 gr. FTX® (9,1 g)	92755	8" V	439	390	352	875	691	561
C	357 Magnum	158 gr. XTP® (10,2 g)	90562	8" V	381	350	327	743	628	546
CD	9 x 18mm Makarov	95 gr. FTX® (6,2 g)	91000	4"	305	278	258	286	239	205
HH	40 S&W	135 gr. MonoFlex® (8,7 g)	91361	4"	344	301	274	518	396	327

Ammo Description				Velocity (m/sec)			Energy (joules)			
CARTRIDGE	BULLET	ITEM #	BARREL LENGTH	0m	50m	100m	0m	50m	100m	
C	40 S&W	155 gr. XTP® (10,0 g)	9132	4"	360	323	298	649	525	446
CD	40 S&W	165 gr. FTX® (10,7 g)	91340	3"	319	296	279	542	468	415
DUTY	40 S&W	175 gr. FlexLock® (11,3 g)	91376	4"	308	289	274	537	475	426
AG	40 S&W	180 gr. XTP® (11,7 g)	91364	4"	360	323	298	649	525	446
SUB	40 S&W	180 gr. XTP® (11,7 g)	91369	4"	290	275	262	489	441	403
HH	10mm Auto	135 gr. MonoFlex® (8,7 g)	91267	5"	401	333	295	703	486	380
C	10mm Auto	155 gr. XTP® (10,0 g)	9122	5"	386	341	310	747	583	484
DUTY	10mm Auto	175 gr. FlexLock® (11,3 g)	91256	5"	354	321	298	711	584	503
C	10mm Auto	180 gr. XTP® (11,7 g)	9126	5"	360	328	305	754	628	545
LEV	41 Rem Mag	190 gr. FTX® (12,3 g)	9078	10"	491	421	364	1289	946	709
C	41 Rem Mag	210 gr. XTP® (13,6 g)	9077	10"	471	417	372	1510	1182	939
C	44-40 Cowboy	205 gr. Cowboy™ (13,3 g)	9075	7½" V	221	210	200	324	293	264
CD	44 Special	165 gr. FTX® (10,7 g)	90700	2½" V	274	258	244	403	357	319
C	44 Rem Mag	200 gr. XTP® (13,0 g)	9080	7½" V	457	406	364	1354	1068	858
HH	44 Rem Mag	200 gr. MonoFlex® (13,0 g)	9083	7½" V	450	395	352	1312	1012	803
LEV	44 Rem Mag	225 gr. FTX® (14,6 g)	92782	7½" V	430	376	336	1346	1030	823
C	44 Rem Mag	240 gr. XTP® (15,6 g)	9085	7½" V	411	375	345	1316	1093	927
C	44 Rem Mag	300 gr. XTP® (19,4 g)	9088	7½" V	351	330	314	1194	1059	957
AG	45 Auto	185 gr. XTP® (12,0 g)	90904	5"	296	278	263	523	462	414
CD	45 Auto	185 gr. FTX® (12,0 g)	90900	3"	274	260	247	451	405	366
C	45 Auto	200 gr. XTP® (13,0 g)	9112	5"	274	261	249	488	441	401
DUTY	45 Auto +P	220 gr. FlexLock® (14,3 g)	90926	5"	297	283	270	629	569	521
C	45 Auto +P	230 gr. XTP® (14,9 g)	9096	5"	290	277	265	625	571	526
SUB	45 Auto	230 gr. XTP® (14,9 g)	90971	5"	282	269	258	593	540	495
CD	45 Colt	185 gr. FTX® (12,0 g)	92790	3" V	280	265	252	472	422	380
LEV	45 Colt	225 gr. FTX® (14,6 g)	92792	4¾" V	293	275	261	624	552	496
C	45 Colt	255 gr. Cowboy™ (16,5 g)	9115	4¾" V	221	209	198	404	362	325
HH	454 Casull	200 gr. MonoFlex® (13,0 g)	9151	7½" V	594	521	456	2287	1760	1347
C	454 Casull	240 gr. XTP® Mag (15,6 g)	9148	7½" V	579	511	450	2609	2034	1578
C	454 Casull	300 gr. XTP® Mag (19,4 g)	9150	7½" V	503	450	403	2460	1967	1579
C	460 S&W	200 gr. FTX® (13,0 g)	9152	8 3/8"	671	592	519	2914	2268	1746
HH	460 S&W	200 gr. MonoFlex® (13,0 g)	9153	8 3/8"	655	577	506	2780	2160	1660
C	480 Ruger	325 gr. XTP® Mag (21,1 g)	9138	7½"	411	363	328	1783	1388	1135
C	50 AE	300 gr. XTP® (19,4 g)	9245	6"	450	381	333	1965	1414	1078
C	500 S&W	300 gr. FTX® (19,4 g)	9249	8½"	594	504	426	3434	2466	1760
C	500 S&W	500 gr. FP-XTP® (32,4 g)	9252	8½"	396	359	331	2544	2089	1773