


6mm Creedmoor

Rifle: Ruger Precision Rifle **Bullet Diameter:** 0.243"
 Barrel: 24", 1 in 7.7" Twist **Maximum COL:** 2.800"
 Case: Hornady **Max. Case Length:** 1.920"
 Primer: Federal **Case Trim Length:** 1.910"

58 GRAIN BULLETS SECTIONAL DENSITY: 0.140
 DIAMETER: 0.243"



58 gr. V-MAX®
 Item No. 22411
 C.O.L.: 2.560"
 G1 B.C.: 0.250

POWDER	VELOCITY (FPS – feet per second)					
	3400	3500	3600	3700	3800	3900
IMR 3031	35.8 gr.	37.1 gr.	38.3 gr.	39.6 gr.	40.8 gr.	42.1 gr.
Accurate 2520	35.3 gr.	36.9 gr.	38.4 gr.	39.9 gr.	41.5 gr.	43.0 gr.
H4895	36.8 gr.	38.1 gr.	39.3 gr.	40.5 gr.	41.7 gr.	42.9 gr.
TAC	38.9 gr.	40.1 gr.	41.2 gr.	42.4 gr.	43.6 gr.	
IMR 4320	39.4 gr.	40.5 gr.	41.7 gr.	42.9 gr.	44.0 gr.	45.2 gr.
IMR 4064	39.7 gr.	40.9 gr.	42.1 gr.	43.2 gr.	44.3 gr.	
VIHT N-140	39.2 gr.	40.6 gr.	41.9 gr.	43.2 gr.	44.6 gr.	
VARGET	39.5 gr.	40.7 gr.	42.1 gr.	43.3 gr.	44.6 gr.	
Alliant RL-15	40.3 gr.	41.5 gr.	42.6 gr.	43.7 gr.	44.8 gr.	45.9 gr.


Create custom ballistic tables using our online calculators at hornady.com/ballistics

65 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.157
0.243"

6mm Creedmoor



65 gr. V-MAX®

Item No. 22415

C.O.L.: 2.605"

G1 B.C.: 0.280

VELOCITY (FPS – feet per second)						
POWDER	3300	3400	3500	3600	3700	3750
IMR 3031	34.0 gr.	35.5 gr.	36.9 gr.	38.4 gr.	39.9 gr.	
Accurate 2520	34.7 gr.	36.2 gr.	37.7 gr.	39.1 gr.		
H4895	34.6 gr.	36.1 gr.	37.7 gr.	39.3 gr.	40.9 gr.	41.6 gr.
IMR 4320	37.1 gr.	38.5 gr.	39.9 gr.	41.3 gr.	42.7 gr.	43.3 gr.
IMR 4895	37.4 gr.	38.8 gr.	40.1 gr.	41.4 gr.		
VARGET	36.7 gr.	38.3 gr.	39.9 gr.	41.5 gr.	43.1 gr.	43.9 gr.
IMR 4064	37.1 gr.	38.5 gr.	40.1 gr.	41.6 gr.	43.1 gr.	43.8 gr.
VIHT N-140	37.0 gr.	38.6 gr.	40.2 gr.	41.7 gr.		
Alliant RL-15	38.1 gr.	39.5 gr.	40.8 gr.	42.1 gr.	43.4 gr.	

Create custom ballistic tables using our online calculators at hornady.com/ballistics

75 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.181
0.243"



75 gr. V-MAX®

Item No. 22420

C.O.L.: 2.640"

G1 B.C.: 0.330

VELOCITY (FPS – feet per second)					
POWDER	3200	3300	3400	3500	3600
IMR 4064	36.5 gr.	37.9 gr.	39.4 gr.	40.9 gr.	42.4 gr.
VARGET	36.1 gr.	37.7 gr.	39.4 gr.	41.0 gr.	42.6 gr.
Alliant RL-17	40.4 gr.	41.7 gr.	43.1 gr.	44.4 gr.	45.7 gr.
BIG GAME	39.6 gr.	41.3 gr.	43.0 gr.	44.7 gr.	
Alliant RL-16	40.2 gr.	41.9 gr.	43.5 gr.	45.1 gr.	
H380	39.5 gr.	41.4 gr.	43.3 gr.	45.2 gr.	
WIN 760	39.7 gr.	41.6 gr.	43.5 gr.	45.4 gr.	
Accurate 2700	40.7 gr.	42.3 gr.	44.0 gr.	45.7 gr.	
SUPERFORMANCE	43.2 gr.	44.8 gr.	46.5 gr.	48.1 gr.	


Create custom ballistic tables using our online calculators at hornady.com/ballistics

80 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.194
0.243"

6mm Creedmoor



80 gr. GMX®
Item No. 24370
C.O.L.: 2.505"
G1 B.C.: 0.300

POWDER	VELOCITY (FPS – feet per second)					
	3000	3100	3200	3300	3350	3400
Alliant RL-17	38.4 gr.	39.8 gr.	41.2 gr.	42.6 gr.	43.3 gr.	44.0 gr.
H380	38.4 gr.	39.9 gr.	41.5 gr.	43.0 gr.	43.8 gr.	
Alliant RL-16	37.4 gr.	39.3 gr.	41.2 gr.	43.1 gr.		
Hybrid 100V	39.4 gr.	40.8 gr.	42.2 gr.	43.7 gr.	44.4 gr.	
WIN 760	39.4 gr.	40.9 gr.	42.4 gr.	43.9 gr.		
BIG GAME	39.2 gr.	40.9 gr.	42.5 gr.	44.2 gr.	45.0 gr.	
H4350	39.0 gr.	40.8 gr.	42.5 gr.	44.3 gr.	45.2 gr.	
IMR 4350	40.2 gr.	41.8 gr.	43.4 gr.	45.0 gr.		
SUPERFORMANCE	42.6 gr.	43.9 gr.	45.3 gr.	46.7 gr.	47.3 gr.	48.0 gr.


Create custom ballistic tables using our online calculators at hornady.com/ballistics

85-87 GRAIN BULLETS


SECTIONAL DENSITY: 0.206-0.210
DIAMETER: 0.243"




85 gr. InterBond®
Item No. 24539
C.O.L.: 2.650"
G1 B.C.: 0.395



87 gr. V-MAX®
Item No. 22440
C.O.L.: 2.650"
G1 B.C.: 0.400



87 gr. BTHP
Item No. 2442
C.O.L.: 2.650"
G1 B.C.: 0.376



87 gr. SP
Item No. 2440
C.O.L.: 2.650"
G1 B.C.: 0.327




POWDER	VELOCITY (FPS – feet per second)					
	3000	3100	3200	3300	3350	3400
IMR 4007 SSC	37.4 gr.	39.0 gr.	40.6 gr.	42.2 gr.	42.9 gr.	43.7 gr.
Alliant RL-17	38.1 gr.	39.6 gr.	41.1 gr.	42.6 gr.	43.4 gr.	44.1 gr.
Hybrid 100V	38.3 gr.	39.8 gr.	41.3 gr.	42.9 gr.	43.6 gr.	
Alliant RL-16	38.0 gr.	39.6 gr.	41.3 gr.	43.0 gr.	43.8 gr.	
BIG GAME	37.9 gr.	39.7 gr.	41.4 gr.	43.1 gr.	44.0 gr.	
WIN 760	37.7 gr.	39.7 gr.	41.8 gr.	43.8 gr.		
Accurate 2700	38.0 gr.	39.9 gr.	41.9 gr.	43.8 gr.		
H4350	39.1 gr.	40.7 gr.	42.4 gr.	44.1 gr.	45.0 gr.	
IMR 4350	39.6 gr.	41.1 gr.	42.7 gr.	44.2 gr.	45.0 gr.	
SUPERFORMANCE	39.8 gr.	41.6 gr.	43.4 gr.	45.2 gr.	46.1 gr.	47.0 gr.

Create custom ballistic tables using our online calculators at hornady.com/ballistics

■ INDICATES MAXIMUM LOAD — USE WITH CAUTION

Rifle Data

95-100 GRAIN BULLETS

SECTIONAL DENSITY: 0.216-0.242
DIAMETER: 0.243-0.257"**95 gr. SST®**
Item No. 24532
C.O.L.: 2.495"
G1 B.C.: 0.355**100 gr. InterLock® SP** (Discontinued)
Item No. 2540
C.O.L.: 2.495"
G1 B.C.: 0.325**100 gr. InterLock® BTSP**
Item No. 2453
C.O.L.: 2.495"
G1 B.C.: 0.405

VELOCITY (FPS – feet per second)

POWDER	2700	2800	2900	3000	3100	3150	3200
Alliant RL-17	35.6 gr.	37.1 gr.	38.6 gr.	40.1 gr.	41.6 gr.	42.4 gr.	
Hybrid 100V	36.0 gr.	37.4 gr.	38.8 gr.	40.2 gr.	41.6 gr.	42.3 gr.	
Alliant RL-16	35.6 gr.	37.1 gr.	38.7 gr.	40.2 gr.	41.7 gr.	42.5 gr.	
BIG GAME	35.1 gr.	36.8 gr.	38.5 gr.	40.3 gr.	42.0 gr.		
WIN 760	35.4 gr.	37.2 gr.	39.0 gr.	40.7 gr.	42.5 gr.		
H4350	35.6 gr.	37.5 gr.	39.3 gr.	41.1 gr.	43.0 gr.	43.9 gr.	
IMR 4350	36.9 gr.	38.5 gr.	40.2 gr.	41.8 gr.	43.4 gr.		
SUPERFORMANCE	38.5 gr.	40.0 gr.	41.6 gr.	43.1 gr.	44.7 gr.	45.4 gr.	46.2 gr.

Create custom ballistic tables using our online calculators at hornady.com/ballistics

103 GRAIN BULLETS

SECTIONAL DENSITY: 0.249
DIAMETER: 0.243"***103 gr. ELD-X**
Item No. 24550
C.O.L.: 2.790"
G1 B.C.: 0.512
G7 B.C.: 0.258

VELOCITY (FPS – feet per second)


POWDER	2700	2800	2900	3000	3100	3150
Alliant RL-17	34.6 gr.	36.2 gr.	37.7 gr.	39.2 gr.	40.8 gr.	41.5 gr.
Alliant RL-16	34.3 gr.	36.1 gr.	37.9 gr.	39.6 gr.	41.3 gr.	
Hybrid 100V	35.0 gr.	36.6 gr.	38.2 gr.	39.7 gr.	41.3 gr.	
H4350	34.3 gr.	36.3 gr.	38.3 gr.	40.3 gr.	42.2 gr.	
IMR 4350	36.0 gr.	37.6 gr.	39.2 gr.	40.8 gr.	42.4 gr.	
IMR 4831	36.6 gr.	38.1 gr.	39.6 gr.	41.1 gr.	42.6 gr.	
Accurate 4350	34.8 gr.	36.8 gr.	38.8 gr.	40.7 gr.	42.7 gr.	
SUPERFORMANCE	36.4 gr.	38.2 gr.	40.1 gr.	41.9 gr.	43.8 gr.	44.7 gr.
Power Pro 4000 MR	37.9 gr.	39.4 gr.	40.9 gr.	42.4 gr.	43.9 gr.	
Hunter	37.3 gr.	39.0 gr.	40.8 gr.	42.5 gr.	44.3 gr.	
Alliant RL-19	37.8 gr.	39.4 gr.	41.1 gr.	42.7 gr.	44.3 gr.	45.2 gr.

Create custom ballistic tables using our online calculators at hornady.com/ballistics***NOTE:** Most BCs are measured at 200 yards. ELD-X® and ELD® Match bullets are measured at 800 yards with Doppler radar. While 200 yard BCs are higher, 800 yard values are better for shooting at distance. Visit Hornady.com/BC to view 200, 500 and 1,000+ yard BCs for these bullets.


105-110 GRAIN BULLETS

SECTIONAL DENSITY: 0.254-0.266
DIAMETER: 0.243"

6mm Creedmoor



105 gr. A-MAX®
(Discontinued)
Item No. 24562
C.O.L.: 2.790"
G1 B.C.: 0.500



105 gr. BTHP Match™
Item No. 2458
C.O.L.: 2.790"
G1 B.C.: 0.530
G7 B.C.: 0.253



***108 gr. ELD® Match**
Item No. 24561
C.O.L.: 2.790"
G1 B.C.: 0.536
G7 B.C.: 0.270



110 gr. A-Tip™ Match
Item No. 24531
C.O.L.: 2.810"
G1 B.C.: 0.604
G7 B.C.: 0.304

POWDER	VELOCITY (FPS – feet per second)				
	2700	2800	2900	3000	3050
WIN 760	33.4 gr.	35.9 gr.	38.4 gr.		
Alliant RL-16	34.7 gr.	36.5 gr.	38.4 gr.	40.2 gr.	41.1 gr.
Hybrid 100V	35.0 gr.	36.7 gr.	38.4 gr.	40.2 gr.	
Alliant RL-17	35.2 gr.	36.8 gr.	38.4 gr.	40.0 gr.	40.8 gr.
VIHT N-550	36.1 gr.	37.4 gr.	38.7 gr.	39.4 gr.	
Accurate 4350	34.0 gr.	36.4 gr.	38.8 gr.	41.2 gr.	42.4 gr.
H4350	35.4 gr.	37.2 gr.	39.0 gr.	40.8 gr.	41.7 gr.
IMR 4350	35.9 gr.	37.6 gr.	39.3 gr.	41.1 gr.	41.9 gr.
IMR 4831	36.6 gr.	38.2 gr.	39.9 gr.	41.6 gr.	42.4 gr.
IMR 4451	36.8 gr.	38.4 gr.	40.1 gr.	40.9 gr.	
SUPERFORMANCE	36.7 gr.	38.7 gr.	40.7 gr.	42.7 gr.	43.7 gr.
Alliant RL-19	37.3 gr.	39.1 gr.	41.0 gr.	42.9 gr.	43.9 gr.
Alliant RL-22	37.3 gr.	39.2 gr.	41.1 gr.	43.0 gr.	44.0 gr.
Power Pro 4000 MR	37.9 gr.	39.5 gr.	41.1 gr.	42.7 gr.	43.5 gr.
VIHT N-165	35.7 gr.	38.6 gr.	41.5 gr.	44.4 gr.	
Alliant RL-23	38.5 gr.	40.1 gr.	41.7 gr.	42.9 gr.	43.3 gr.
H4831 SC	38.4 gr.	40.3 gr.	42.2 gr.		
IMR 7828 SSC	38.9 gr.	40.6 gr.	42.4 gr.		

Create custom ballistic tables using our online calculators at hornady.com/ballistics

***NOTE:** The published BC is measured at Mach 2.25 and is useful for moderate distance shooting and for comparison purposes with other bullets on the market. Since changes in velocity affect BC values, more useful BCs for longer range shooting are listed at Hornady.com/BC.